IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re A	pplication	on of:)						
Kanji OHYAMA) Confirmation No.: 1480						
Applic	ation No	.: 10/584,082) Group Art Unit: Unassigned						
Filed:	June 22	2, 2006) Examiner: Unassigned						
For:		CHANTIALES-DERIVED UNSATURATED FATTY ACID SYNTHETASE GENES USE OF THE SAME							
U.S. Pa	atent and ner Win	r for Patents Trademark Office Idow Mail Stop: New Application [A 22314	☑ Amendment ☐ AF ☐ Issue Fee						
Sir:		INFORMATION DISCLOSU	RE STATEMENT (IDS)						
the und	to the a dersigner on the	ttention of the Examiner the documented's knowledge, this IDS is being file	7 C.F.R. §§ 1.56 and 1.97(b), Applicant its listed on the attached PTO Form 1449. To d before the mailing date of a first Office rst Office Action on the merits after filing an pplication filing date.						
is bein mailin	attention g filed a g date o	n of the Examiner the documents listerafter the events recited in § 1.97(b) but	C.F.R. §§ 1.56 and 1.97(c), Applicant brings of on the attached PTO Form 1449. This IDS at, to the undersigned's knowledge, before the allowance, or another action that closes						
		The fee of \$180.00 set forth in § 1.1	7(p) is included herein; or						
			information contained in this IDS was first oreign patent office in a counterpart foreign this prior to the filing of this IDS.						
_	to the a	ttention of the Examiner the documer	7 C.F.R. §§ 1.56 and 1.97(d), Applicant at listed on the attached PTO Form 1449. 1.97(c) but before payment of the issue fee.						
		The fee of \$180.00 set forth in § 1.1	7(p) is included herein; and						
			information contained in this IDS was first oreign patent office in a counterpart foreign ths prior to the filing of this IDS.						

ř s

Under 37 C.F.R. § 1.97(i): Pursuant to 37 C.F.R. §§ 1.56 and 1.97(i), Applicant brings to the attention of the Examiner the documents listed on the attached PTO Form 1449. This IDS is being filed after the events recited in § 1.97(d). Applicant requests that the IDS be placed in the file. A search report or other listing of documents from a counterpart, related, or other and having documents cited thereon is attached for the Examiner's consideration. Any of these documents not previously cited, and any additional documents are listed on the PTO Form 1449. Applicant respectfully requests that the Examiner consider the listed documents and evidence that consideration by making appropriate notations on the attached form. As for any document listed on the accompanying PTO-1449 that is in a language other than English, relevance can be understood from an enclosed English abstract or at least partial translation or from mention in the specification or in a search report for a corresponding application. This submission does not represent that a search has been made or that no better art exists and does not constitute an admission that any of the listed documents are material or constitute "prior art." If it should be determined that any of the listed documents do not constitute "prior" art" under United States law, Applicant reserve the right to present to the Office the relevant facts and law regarding the appropriate status of such documents. Applicant further reserves the right to take appropriate action to establish the patentability of the disclosed invention over the listed documents, should any of the documents be applied against the claims of the present application. Except for issue fees payable under 37 C.F.R. § 1.18, the Commissioner is hereby authorized by this paper to charge any additional fees during the entire pendency of this Application, including fees due under 37 C.F.R. § 1.16 and 1.17 which may be required and including any required extension of time fees, or credit any overpayment to Deposit Account No. 50-0573. This paragraph is intended to be a CONSTRUCTIVE PETITION FOR EXTENSION OF TIME in accordance with 37 C.F.R. § 1.136(a)(3). Respectfully submitted,

DRINKER, BODDLE & REATH LLP

Mercedes K. Meyer, Ph.D., Esq

CUSTOMER NO. 055694 DRINKER, BIDDLE & REATH LLP

1500 K Street, N.W., Suite 1100 Washington, D.C. 20005-1209

Dated: May 15, 2007

Tel: 202.842.8800; Fax: 202.842.8465

Information Disclosure Citation 47236-0009 10/584,082			TA	D 1 . NT		la ·	137			
Applicant Ranji OHYAMA Filing Date: Group Art Unit: Unassigned	INFORMA		Attorney Docket No.:				Serial No.:			
PTO Form 1449 Filing Date: Group Art Unit: Unassigned										
### PITO Form 1449 Filing Date:	(0)									
#Examiner Initial Document Number Date Name Class Class Filing Date FOREIGN PATENT DOCUMENTS FOREIGN PATENT DOCUMENTS Document Number Date Country Class Class Filing Date Document Number Date Country Class Class Translation YES NO					Groi	ın Art Uni				
*Examiner Initial Document Number Date Name Class Sub Class Filing Date *FOREIGN PATENT DOCUMENTS Document Number Date Country Class Class Prize No No Number Date Country Class Class Prize No YES NO		110 1011111147						••		
FOREIGN PATENT DOCUMENTS		U.S. PA	TENT DOCUM	ENTS						
FOREIGN PATENT DOCUMENTS	*Examiner	Document		<u> </u>			Sub	Т		
FOREIGN PATENT DOCUMENTS Document Number Date Country Class Sub Translation YES NO	1 1		Date	te Name		Class	1 1		10 Date	
Document Number Date Country Class Sub Class Translation YES NO OTHER DOCUMENTS (Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.) Y. FUJINO, "Introduction to Lipid Analysis Method, Biochemical Experimental Method 9," Gakkai Shuppan Center, pp. 42-46, pp. 154-157, and its partial English-language translation. A. YAMADA, "Experimental Method for Plant Lipid Metabolism, Biochemical Experimental Method 24," Gakkai Shuppan Center, pp. 2-9, and its partial English-language translation. F. DOMERGUE et al., "Cloning and functional characterization of Phaeodactylum tricornutum front-end desaturases involved in cicosapentaenoic acid biosynthesis," Eur. J. Biochem., 2002, Vol. 269, pp. 4105-4113. O. SAYANOVA et al., "Expression of a borage desaturase cDNA containing an N-terminal cytochrome b5 domain results in the accumulation of high levels of Δ6-desaturated fatry acids in transgenic tobacco," Proc. Natl. Acad. Sci. USA, April 1997, Vol. 94, pp. 4211-4216. F. GARCIA-MAROTO et al., "Cloning and Molecular Characterization of the Δ6-Desaturase from Two Echium Plant Species: Production of GLA by Heterologous Expression in Yeast and Tobacco," Lipids, 2002, Vol. 37, No. 4, pp. 417-426. O. SAYANOVA et al., "Identification of Primula fatty acid Δ6-desaturases with n-3 substrate preferences," FEBS Letters, 2003, Vol. 542, pp. 100-104. H. WHITNEY et al., "Functional characterization of two cytochrome b5-fusion desaturases from Anemone leveille: the unexpected identification of a fatty acid Δ6-desaturases," Planta, July 24, 2003, Vol. 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "A6-Fatty acid desaturase from an arachid		T (MINO)				Class Class		Timig Date		
Document Number Date Country Class Sub Class VES NO OTHER DOCUMENTS (Include name of the author (in CAPITAL LETTERS), title of the arricle (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.) Y. FUJINO, "Introduction to Lipid Analysis Method, Biochemical Experimental Method 9," Gakkai Shuppan Center, pp. 42-46, pp. 154-157, and its partial English-language translation. A. YAMADA, "Experimental Method for Plant Lipid Metabolism, Biochemical Experimental Method 24," Gakkai Shuppan Center, pp. 2-9, and its partial English-language translation. F. DOMERGUE et al., "Cloning and functional characterization of Phaeodactylum tricornutum front-end desaturases involved in cicosapentaenoic acid biosynthesis," Eur. J. Biochem., 2002, Vol. 269, pp. 4105-4113. O. SAYANOVA et al., "Expression of a borage desaturase cDNA containing an N-terminal cytochrome b5 domain results in the accumulation of high levels of Δ6-desaturated fatty acids in transgenic tobacco," Proc. Natl. Acad. Sci. USA, April 1997, Vol. 94, pp. 4211-4216. F. GARCIA-MAROTO et al., "Cloning and Molecular Characterization of the Δ6-Desaturase from Two Echium Plant Species: Production of GLA by Heterologous Expression in Yeast and Tobacco," Lipids, 2002, Vol. 37, No. 4, pp. 417-426. O. SAYANOVA et al., "Huntification of Primula fatty acid Δ6-desaturases with n-3 substrate preferences," FEBS Letters, 2003, Vol. 542, pp. 100-104. H. WHITNEY et al., "Functional characterization of two cytochrome b5-fusion desaturases from Anemone leveillei: the unexpected identification of a fatty acid Δ6-desaturases." Planta, July 24, 2003, Vol 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "Ge-Fatty acid desaturase from an arachidonic acid-producing				\ <u>\</u>				 		
OTHER DOCUMENTS (Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.) Y. FUINO, "Introduction to Lipid Analysis Method, Biochemical Experimental Method 9," Gakkai Shuppan Center, pp. 42-46, pp. 154-157, and its partial English-language translation. A. YAMADA, "Experimental Method for Plant Lipid Metabolism, Biochemical Experimental Method 24," Gakkai Shuppan Center, pp. 2-9, and its partial English-language translation. F. DOMERGUE et al., "Cloning and functional characterization of Phaeodacrylum tricormutum front-end desaturases involved in eicosapentaenoic acid biosynthesis," Eur. J. Biochem., 2002, Vol. 269, pp. 4105-4113. O. SAYANOVA et al., "Expression of a borage desaturase cDNA containing an N-terminal cytochrome b5 domain results in the accumulation of high levels of Δ°-desaturated fatty acids in transgenic tobacco," Proc. Natl. Acad. Sci. USA, April 1997, Vol. 94, pp. 4211-4216. F. GARCIA-MAROTO et al., "Cloning and Molecular Characterization of the Δ6-Desaturase from Two Echium Plant Species: Production of GLA by Heterologous Expression in Yeast and Tobacco," Lipids, 2002, Vol. 37, No. 4, pp. 417-426. O. SAYANOVA et al., "Iftentification of Primula fatty acid Δ°-desaturases with n-3 substrate preferences." FEBS Letters, 2003, Vol. 542, pp. 100-104. H. WHITNEY et al., "Functional characterisation of two cytochrome b5-fusion desaturases from Anemone leveille: the unexpected identification of a fatty acid Δ°-desaturase," Planta, July 24, 2003, Vol. 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "A6-Fatty acid desaturase from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous e	-	FOREIGN	PATENT DOC	UMENTS		-				
OTHER DOCUMENTS (Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.) Y. FUJINO, "Introduction to Lipid Analysis Method, Biochemical Experimental Method 9," Gakkai Shuppan Center, pp. 42-46, pp. 154-157, and its partial English-language translation. A. YAMADA, "Experimental Method for Plant Lipid Metabolism, Biochemical Experimental Method 24," Gakkai Shuppan Center, pp. 2-9, and its partial English-language translation. F. DOMERGUE et al., "Cloning and functional characterization of Phaeodactylum tricornutum front-end desaturases involved in eicosapentaenoic acid biosynthesis," Eur. J. Biochem., 2002, Vol. 269, pp. 4105-4113. O. SAYANOVA et al., "Expression of a borage desaturase cDNA containing an N-terminal cytochrome b5 domain results in the accumulation of high levels of Δ°-desaturated fatty acids in transgenic tobacco," Proc. Natl. Acad. Sci. USA, April 1997, Vol. 94, pp. 4211-4216. F. GARCIA-MAROTO et al., "Cloning and Molecular Characterization of the Δ6-Desaturase from Two Echium Plant Species: Production of GLA by Heterologous Expression in Yeast and Tobacco," Lipids, 2002, Vol. 37, No. 4, pp. 417-426. O. SAYANOVA et al., "Identification of Primula fatty acid Δ°-desaturases with n-3 substrate preferences." FEBS Letters, 2003, Vol. 542, pp. 100-104. H. WHITNEY et al., "Functional characterisation of two cytochrome b5-fusion desaturases from Anemone leveillei: the unexpected identification of a fatty acid Δ°-desaturase," Planta, July 24, 2003, Vol. 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "A6-Fatty acid desaturase from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous	<u> </u>	Document		1		Sub	Tr	nslati	on	
OTHER DOCUMENTS (Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.) Y. FUJINO, "Introduction to Lipid Analysis Method, Biochemical Experimental Method 9," Gakkai Shuppan Center, pp. 42-46, pp. 154-157, and its partial English-language translation. A. YAMADA, "Experimental Method for Plant Lipid Metabolism, Biochemical Experimental Method 24," Gakkai Shuppan Center, pp. 2-9, and its partial English-language translation. F. DOMERGUE et al., "Cloning and functional characterization of <i>Phaeodactylum tricornutum</i> front-end desaturases involved in eicosapentaenoic acid biosynthesis," Eur. J. Biochem., 2002, Vol. 269, pp. 4105-4113. O. SAYANOVA et al., "Expression of a borage desaturase cDNA containing an N-terminal cytochrome b ₃ domain results in the accumulation of high levels of δ*-desaturated fatty acids in transgenic tobacco," Proc. Natl. Acad. Sci. USA, April 1997, Vol. 94, pp. 2411-4216. F. GARCÍA-MAROTO et al., "Cloning and Molecular Characterization of the Δ6-Desaturase from Two Echium Plant Species: Production of GLA by Heterologous Expression in Yeast and Tobacco," Lipids, 2002, Vol. 37, No. 4, pp. 417-426. O. SAYANOVA et al., "Identification of <i>Primula</i> fatty acid δ*-desaturases with <i>n</i> -3 substrate preferences," FEBS Letters, 2003, Vol. 542, pp. 100-104. H. WHITNEY et al., "Identification of a fatty acid δ*-desaturases," Planta, July 24, 2003, Vol. 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "Cloning of Δ12- and Δ6-Desaturases from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous expression in a fungus, Aspergillus," Gene, August 6, 1999, Vol. 238, pp. 445-453. J. N			Date	Country	Class	1				
(Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.) Y. FUJINO, "Introduction to Lipid Analysis Method, Biochemical Experimental Method 9," Gakkai Shuppan Center, pp. 42-46, pp. 154-157, and its partial English-language translation. A. YAMADA, "Experimental Method for Plant Lipid Metabolism, Biochemical Experimental Method 24," Gakkai Shuppan Center, pp. 2-9, and its partial English-language translation. F. DOMERGUE et al., "Cloning and functional characterization of Phaeodactylum tricornutum front-end desaturases involved in eicosapentaenoic acid biosynthesis," Eur. J. Biochem., 2002, Vol. 269, pp. 4105-4113. O. SAYANOVA et al., "Expression of a borage desaturase cDNA containing an N-terminal cytochrome b; domain results in the accumulation of high levels of Δδ-desaturated fatty acids in transgenic tobacco," Proc. Natl. Acad. Sci. USA, April 1997, Vol. 94, pp. 4211-4216. F. GARCÍA-MAROTO et al., "Cloning and Molecular Characterization of the Δ6-Desaturase from Two Echium Plant Species: Production of GLA by Heterologous Expression in Yeast and Tobacco," Lipids, 2002, Vol. 37, No. 4, pp. 417-426. O. SAYANOVA et al., "Identification of Primula fatty acid Δδ-desaturases with n-3 substrate preferences," FEBS Letters, 2003, Vol. 542, pp. 100-104. H. WHITNEY et al., "Functional characterisation of two cytochrome b;-fusion desaturases from Anemone leveillei: the unexpected identification of a fatty acid Δδ-desaturase," Planta, July 24, 2003, Vol. 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δδ-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "Δδ-Fatty acid desaturases from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous expression in a										
(Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.) Y. FUJINO, "Introduction to Lipid Analysis Method, Biochemical Experimental Method 9," Gakkai Shuppan Center, pp. 42-46, pp. 154-157, and its partial English-language translation. A. YAMADA, "Experimental Method for Plant Lipid Metabolism, Biochemical Experimental Method 24," Gakkai Shuppan Center, pp. 2-9, and its partial English-language translation. F. DOMERGUE et al., "Cloning and functional characterization of Phaeodactylum tricornutum front-end desaturases involved in eicosapentaenoic acid biosynthesis," Eur. J. Biochem., 2002, Vol. 269, pp. 4105-4113. O. SAYANOVA et al., "Expression of a borage desaturase cDNA containing an N-terminal cytochrome b5, domain results in the accumulation of high levels of Δ6-desaturated fatty acids in transgenic tobacco," Proc. Natl. Acad. Sci. USA, April 1997, Vol. 94, pp. 4211-4216. F. GARCIA-MAROTO et al., "Cloning and Molecular Characterization of the Δ6-Desaturase from Two Echium Plant Species: Production of GLA by Heterologous Expression in Yeast and Tobacco," Lipids, 2002, Vol. 37, No. 4, pp. 417-426. O. SAYANOVA et al., "Identification of Primula fatty acid Δ6-desaturases with n-3 substrate preferences", "FEBS Letters, 2003, Vol. 542, pp. 100-104. H. WHITNEY et al., "Functional characterisation of two cytochrome b5-fusion desaturases from Anemone leveillei: the unexpected identification of a fatty acid Δ6-desaturase," Planta, July 24, 2003, Vol. 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolentic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "Δ6-Fatty acid desaturase from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous expression in		:	-						1	
journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.) N. FUJINO, "Introduction to Lipid Analysis Method, Biochemical Experimental Method 9," Gakkai Shuppan Center, pp. 42-46, pp. 154-157, and its partial English-language translation. A. YAMADA, "Experimental Method for Plant Lipid Metabolism, Biochemical Experimental Method 24," Gakkai Shuppan Center, pp. 2-9, and its partial English-language translation. F. DOMERGUE et al., "Cloning and functional characterization of Phaeodactylum tricornutum front-end desaturases involved in eicosapentaenoic acid biosynthesis," Eur. J. Biochem., 2002, Vol. 269, pp. 4105-4113. O. SAYANOVA et al., "Expression of a borage desaturase cDNA containing an N-terminal cytochrome by domain results in the accumulation of high levels of Δ6-desaturated fatty acids in transgenic tobacco," Proc. Natl. Acad. Sci. USA, April 1997, Vol. 94, pp. 4211-4216. F. GARCÍA-MAROTO et al., "Cloning and Molecular Characterization of the Δ6-Desaturase from Two Echium Plant Species: Production of GLA by Heterologous Expression in Yeast and Tobacco," Lipids, 2002, Vol. 37, No. 4, pp. 417-426. O. SAYANOVA et al., "Identification of Primula fatty acid Δ6-desaturases with n-3 substrate preferences," "FEBS Letters, 2003, Vol. 542, pp. 100-104. H. WHITNEY et al., "Functional characterisation of two cytochrome b ₃ -fusion desaturases from Anemone leveillei: the unexpected identification of a fatty acid Δ6-desaturase," Planta, July 24, 2003, Vol. 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "Ge-Fatty acid desaturase from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous expression in a fungus, Aspergillus," Gene, August 6, 1999, Vol. 238, pp. 445-453. J. NAPIER et al., "Identification of a Caenorhabditis el						*				
 Y. FUJINO, "Introduction to Lipid Analysis Method, Biochemical Experimental Method 9," Gakkai Shuppan Center, pp. 42-46, pp. 154-157, and its partial English-language translation. A. YAMADA, "Experimental Method for Plant Lipid Metabolism, Biochemical Experimental Method 24," Gakkai Shuppan Center, pp. 2-9, and its partial English-language translation. F. DOMERGUE et al., "Cloning and functional characterization of Phaeodactylum tricornutum front-end desaturases involved in eicosapentaenoic acid biosynthesis," Eur. J. Biochem., 2002, Vol. 269, pp. 4105-4113. O. SAYANOVA et al., "Expression of a borage desaturase cDNA containing an N-terminal cytochrome b, domain results in the accumulation of high levels of Δ⁶-desaturated fatty acids in transgenic tobacco," Proc. Natl. Acad. Sci. USA, April 1997, Vol. 94, pp. 4211-4216. F. GARCÍA-MAROTO et al., "Cloning and Molecular Characterization of the Δ6-Desaturase from Two Echium Plant Species: Production of GLA by Heterologous Expression in Yeast and Tobacco," Lipids, 2002, Vol. 37, No. 4, pp. 417-426. O. SAYANOVA et al., "Identification of Primula fatty acid Δ⁶-desaturases with n-3 substrate preferences," FEBS Letters, 2003, Vol. 542, pp. 100-104. H. WHITNEY et al., "Functional characterisation of two cytochrome b₇-fusion desaturases from Anemone leveillei: the unexpected identification of a fatty acid Δ⁶-desaturase," Planta, July 24, 2003, Vol 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "A6-Fatty acid desaturase from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous expression in a fungus, Aspergillus," Gene, August 6, 1999, Vol. 238, pp. 445-453. J. NAPIER et al., "Identification of a Caenorhabditis elegans Δ										
Shuppan Center, pp. 42-46, pp. 154-157, and its partial English-language translation. A. YAMADA, "Experimental Method for Plant Lipid Metabolism, Biochemical Experimental Method 24," Gakkai Shuppan Center, pp. 2-9, and its partial English-language translation. F. DOMERGUE et al., "Cloning and functional characterization of <i>Phaeodactylum tricornutum</i> front-end desaturases involved in eicosapentaenoic acid biosynthesis," Eur. J. Biochem., 2002, Vol. 269, pp. 4105-4113. O. SAYANOVA et al., "Expression of a borage desaturase cDNA containing an N-terminal cytochrome b ₃ domain results in the accumulation of high levels of Δ ⁶ -desaturated fatty acids in transgenic tobacco," Proc. Natl. Acad. Sci. USA, April 1997, Vol. 94, pp. 4211-4216. F. GARCÍA-MAROTO et al., "Cloning and Molecular Characterization of the Δ6-Desaturase from Two Echium Plant Species: Production of GLA by Heterologous Expression in Yeast and Tobacco," Lipids, 2002, Vol. 37, No. 4, pp. 417-426. O. SAYANOVA et al., "Identification of Primula fatty acid Δ ⁶ -desaturases with n-3 substrate preferences"," FEBS Letters, 2003, Vol. 542, pp. 100-104. H. WHITNEY et al., "Intentional characterisation of two cytochrome b ₃ -fusion desaturases from Anemone leveillei: the unexpected identification of a fatty acid Δ ⁶ -desaturase," Planta, July 24, 2003, Vol. 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "G6-Fatty acid desaturase from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous expression in a fungus, Aspergillus," Gene, August 6, 1999, Vol. 238, pp. 445-453. J. NAPIER et al., "Identification of a Caenorhabditis elegans Δ ⁶ -fatty-acid-desaturase by heterologous expression in Saccharomyces cerevisiae," Biochem. J., 1998, Vol. 330, pp. 611-614. A. REDDY et al., "Isolation of a Δ ⁶ -desaturase gene from the cyanobacterium Syne	journal, serial, syn									
A. YAMADA, "Experimental Method for Plant Lipid Metabolism, Biochemical Experimental Method 24," Gakkai Shuppan Center, pp. 2-9, and its partial English-language translation. F. DOMERGUE et al., "Cloning and functional characterization of <i>Phaeodactylum tricornutum</i> front-end desaturases involved in eicosapentaenoic acid biosynthesis," Eur. J. Biochem., 2002, Vol. 269, pp. 4105-4113. O. SAYANOVA et al., "Expression of a borage desaturase cDNA containing an N-terminal cytochrome b ₅ domain results in the accumulation of high levels of Δ ⁶ -desaturated fatty acids in transgenic tobacco," Proc. Natl. Acad. Sci. USA, April 1997, Vol. 94, pp. 4211-4216. F. GARCÍA-MAROTO et al., "Cloning and Molecular Characterization of the Δ6-Desaturase from Two Echium Plant Species: Production of GLA by Heterologous Expression in Yeast and Tobacco," Lipids, 2002, Vol. 37, No. 4, pp. 417-426. O. SAYANOVA et al., "Identification of <i>Primula</i> fatty acid Δ ⁶ -desaturases with n-3 substrate preferences," FEBS Letters, 2003, Vol. 542, pp. 100-104. H. WHITNEY et al., "Functional characterisation of two cytochrome b ₅ -fusion desaturases from <i>Anemone leveillei</i> : the unexpected identification of a fatty acid Δ ⁶ -desaturase," Planta, July 24, 2003, Vol 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "Δ6-Fatty acid desaturase from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous expression in a fungus, Aspergillus," Gene, August 6, 1999, Vol. 238, pp. 445-453. J. NAPIER et al., "Identification of a Caenorhabditis elegans Δ ⁶ -fatty-acid-desaturase by heterologous expression in Saccharomyces cerevisiae," Biochem. J., 1998, Vol. 330, pp. 611-614. A. REDDY et al., "Isolation of a Δ ⁶ -desaturase gene from the cyanobacterium Synechocystis sp. Strain PCC 6803 by gain-of-function expression in Anabaena sp. Strain PC								," Gak	:kai	
 24," Gakkai Shuppan Center, pp. 2-9, and its partial English-language translation. F. DOMERGUE et al., "Cloning and functional characterization of Phaeodactylum tricornutum front-end desaturases involved in eicosapentaenoic acid biosynthesis," Eur. J. Biochem., 2002, Vol. 269, pp. 4105-4113. O. SAYANOVA et al., "Expression of a borage desaturase cDNA containing an N-terminal cytochrome b₃ domain results in the accumulation of high levels of Δ⁶-desaturated fatty acids in transgenic tobacco," Proc. Natl. Acad. Sci. USA, April 1997, Vol. 94, pp. 4211-4216. F. GARCÍA-MAROTO et al., "Cloning and Molecular Characterization of the Δ6-Desaturase from Two Echium Plant Species: Production of GLA by Heterologous Expression in Yeast and Tobacco," Lipids, 2002, Vol. 37, No. 4, pp. 417-426. O. SAYANOVA et al., "Identification of Primula fatty acid Δ⁶-desaturases with n-3 substrate preferences!," FEBS Letters, 2003, Vol. 542, pp. 100-104. H. WHITNEY et al., "Functional characterisation of two cytochrome b₃-fusion desaturases from Anemone leveillei: the unexpected identification of a fatty acid Δ⁶-desaturase," Planta, July 24, 2003, Vol. 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "Δ6-Fatty acid desaturase from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous expression in a fungus, Aspergillus," Gene, August 6, 1999, Vol. 238, pp. 445-453. J. NAPIER et al., "Identification of a Caenorhabditis elegans Δ⁶-fatty-acid-desaturase by heterologous expression in Saccharomyces cerevisiae," Biochem. J., 1998, Vol. 330, pp. 611-614. A. REDDY et al., "Isolation of a Δ⁶-desaturase gene from the cyanobacterium Synechocystis sp. Strain PCC 6803 by gain-of-function expression								- 12.5		
F. DOMERGUE et al., "Cloning and functional characterization of <i>Phaeodactylum tricornutum</i> front-end desaturases involved in eicosapentaenoic acid biosynthesis," Eur. J. Biochem., 2002, Vol. 269, pp. 4105-4113. O. SAYANOVA et al., "Expression of a borage desaturase cDNA containing an N-terminal cytochrome b ₅ domain results in the accumulation of high levels of Δ ⁶ -desaturated fatty acids in transgenic tobacco," Proc. Natl. Acad. Sci. USA, April 1997, Vol. 94, pp. 4211-4216. F. GARCÍA-MAROTO et al., "Cloning and Molecular Characterization of the Δ6-Desaturase from Two Echium Plant Species: Production of GLA by Heterologous Expression in Yeast and Tobacco," Lipids, 2002, Vol. 37, No. 4, pp. 417-426. O. SAYANOVA et al., "Identification of <i>Primula</i> fatty acid Δ ⁶ -desaturases with n-3 substrate preferences," FEBS Letters, 2003, Vol. 542, pp. 100-104. H. WHITNEY et al., "Functional characterisation of two cytochrome b ₃ -fusion desaturases from <i>Anemone leveillei</i> : the unexpected identification of a fatty acid Δ ⁶ -desaturase," Planta, July 24, 2003, Vol. 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from <i>Mortierella alpina</i> and Recombinant Production of γ-Linolenic Acid in <i>Saccharomyces cerevisiae</i> ," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "Δ6-Fatty acid desaturase from an arachidonic acid-producing <i>Mortierella</i> fungus Gene cloning and its heterologous expression in a fungus, <i>Aspergillus</i> ," Gene, August 6, 1999, Vol. 238, pp. 445-453. J. NAPIER et al., "Identification of a <i>Caenorhabditis elegans</i> Δ ⁶ -fatty-acid-desaturase by heterologous expression in <i>Saccharomyces cerevisiae</i> ," Biochem. J., 1998, Vol. 330, pp. 611-614. A. REDDY et al., "Isolation of a Δ ⁶ -desaturase gene from the cyanobacterium <i>Synechocystis</i> sp. Strain PCC 6803 by gain-of-function expression in <i>Anabaena</i> sp. Strain PCC 7120," Plant Molecular Biology, 1993, Vol. 27, pp. 293-300.										
desaturases involved in eicosapentaenoic acid biosynthesis," Eur. J. Biochem., 2002, Vol. 269, pp. 4105-4113. O. SAYANOVA et al., "Expression of a borage desaturase cDNA containing an N-terminal cytochrome by domain results in the accumulation of high levels of Δδ-desaturated fatty acids in transgenic tobacco," Proc. Natl. Acad. Sci. USA, April 1997, Vol. 94, pp. 4211-4216. F. GARCÍA-MAROTO et al., "Cloning and Molecular Characterization of the Δ6-Desaturase from Two Echium Plant Species: Production of GLA by Heterologous Expression in Yeast and Tobacco," Lipids, 2002, Vol. 37, No. 4, pp. 417-426. O. SAYANOVA et al., "Identification of Primula fatty acid Δδ-desaturases with n-3 substrate preferences!" FEBS Letters, 2003, Vol. 542, pp. 100-104. H. WHITNEY et al., "Functional characterisation of two cytochrome b ₃ -fusion desaturases from Anemone leveillei: the unexpected identification of a fatty acid Δδ-desaturase," Planta, July 24, 2003, Vol. 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "Δ6-Fatty acid desaturase from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous expression in a fungus, Aspergillus," Gene, August 6, 1999, Vol. 238, pp. 445-453. J. NAPIER et al., "Identification of a Caenorhabditis elegans Δδ-fatty-acid-desaturase by heterologous expression in Saccharomyces cerevisiae," Biochem. J., 1998, Vol. 330, pp. 611-614. A. REDDY et al., "Isolation of a Δδ-desaturase gene from the cyanobacterium Synechocystis sp. Strain PCC 6803 by gain-of-function expression in Anabaena sp. Strain PCC 7120," Plant Molecular Biology, 1993, Vol. 27, pp. 293-300.										
O. SAYANOVA et al., "Expression of a borage desaturase cDNA containing an N-terminal cytochrome bs domain results in the accumulation of high levels of Δ6-desaturated fatty acids in transgenic tobacco," Proc. Natl. Acad. Sci. USA, April 1997, Vol. 94, pp. 4211-4216. F. GARCÍA-MAROTO et al., "Cloning and Molecular Characterization of the Δ6-Desaturase from Two Echium Plant Species: Production of GLA by Heterologous Expression in Yeast and Tobacco," Lipids, 2002, Vol. 37, No. 4, pp. 417-426. O. SAYANOVA et al., "Identification of Primula fatty acid Δ6-desaturases with n-3 substrate preferences," FEBS Letters, 2003, Vol. 542, pp. 100-104. H. WHITNEY et al., "Functional characterisation of two cytochrome bs-fusion desaturases from Anemone leveillei: the unexpected identification of a fatty acid Δ6-desaturase," Planta, July 24, 2003, Vol. 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "Δ6-Fatty acid desaturase from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous expression in a fungus, Aspergillus," Gene, August 6, 1999, Vol. 238, pp. 445-453. J. NAPIER et al., "Identification of a Caenorhabditis elegans Δ6-fatty-acid-desaturase by heterologous expression in Saccharomyces cerevisiae," Biochem. J., 1998, Vol. 330, pp. 611-614. A. REDDY et al., "Isolation of a Δ6-desaturase gene from the cyanobacterium Synechocystis sp. Strain PCC 6803 by gain-of-function expression in Anabaena sp. Strain PCC 7120," Plant Molecular Biology, 1993, Vol. 27, pp. 293-300. Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if	·.									
O. SAYANOVA et al., "Expression of a borage desaturase cDNA containing an N-terminal cytochrome b₂ domain results in the accumulation of high levels of Δ6-desaturated fatty acids in transgenic tobacco," Proc. Natl. Acad. Sci. USA, April 1997, Vol. 94, pp. 4211-4216. F. GARCÍA-MAROTO et al., "Cloning and Molecular Characterization of the Δ6-Desaturase from Two Echium Plant Species: Production of GLA by Heterologous Expression in Yeast and Tobacco," Lipids, 2002, Vol. 37, No. 4, pp. 417-426. O. SAYANOVA et al., "Identification of Primula fatty acid Δ6-desaturases with n-3 substrate preferences¹," FEBS Letters, 2003, Vol. 542, pp. 100-104. H. WHITNEY et al., "Functional characterisation of two cytochrome b₂-fusion desaturases from Anemone leveillei: the unexpected identification of a fatty acid Δ6-desaturase," Planta, July 24, 2003, Vol. 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "Δ6-Fatty acid desaturase from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous expression in a fungus, Aspergillus," Gene, August 6, 1999, Vol. 238, pp. 445-453. J. NAPIER et al., "Identification of a Caenorhabditis elegans Δ6-fatty-acid-desaturase by heterologous expression in Saccharomyces cerevisiae," Biochem. J., 1998, Vol. 330, pp. 611-614. A. REDDY et al., "Isolation of a Δ6-desaturase gene from the cyanobacterium Synechocystis sp. Strain PCC 6803 by gain-of-function expression in Anabaena sp. Strain PCC 7120," Plant Molecular Biology, 1993, Vol. 27, pp. 293-300. Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if										
b ₅ domain results in the accumulation of high levels of Δ ⁶ -desaturated fatty acids in transgenic tobacco," Proc. Natl. Acad. Sci. USA, April 1997, Vol. 94, pp. 4211-4216. F. GARCÍA-MAROTO et al., "Cloning and Molecular Characterization of the Δ6-Desaturase from Two Echium Plant Species: Production of GLA by Heterologous Expression in Yeast and Tobacco," Lipids, 2002, Vol. 37, No. 4, pp. 417-426. O. SAYANOVA et al., "Identification of Primula fatty acid Δ ⁶ -desaturases with n-3 substrate preferences ¹ ," FEBS Letters, 2003, Vol. 542, pp. 100-104. H. WHITNEY et al., "Functional characterisation of two cytochrome b ₅ -fusion desaturases from Anemone leveillei: the unexpected identification of a fatty acid Δ ⁶ -desaturase," Planta, July 24, 2003, Vol. 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "Δ6-Fatty acid desaturase from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous expression in a fungus, Aspergillus," Gene, August 6, 1999, Vol. 238, pp. 445-453. J. NAPIER et al., "Identification of a Caenorhabditis elegans Δ ⁶ -fatty-acid-desaturase by heterologous expression in Saccharomyces cerevisiae," Biochem. J., 1998, Vol. 330, pp. 611-614. A. REDDY et al., "Isolation of a Δ ⁶ -desaturase gene from the cyanobacterium Synechocystis sp. Strain PCC 6803 by gain-of-function expression in Anabaena sp. Strain PCC 7120," Plant Molecular Biology, 1993, Vol. 27, pp. 293-300. Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if										
Proc. Natl. Acad. Sci. USA, April 1997, Vol. 94, pp. 4211-4216. F. GARCÍA-MAROTO et al., "Cloning and Molecular Characterization of the Δ6-Desaturase from Two Echium Plant Species: Production of GLA by Heterologous Expression in Yeast and Tobacco," Lipids, 2002, Vol. 37, No. 4, pp. 417-426. O. SAYANOVA et al., "Identification of Primula fatty acid Δ6-desaturases with n-3 substrate preferences'," FEBS Letters, 2003, Vol. 542, pp. 100-104. H. WHITNEY et al., "Functional characterisation of two cytochrome b ₃ -fusion desaturases from Anemone leveillei: the unexpected identification of a fatty acid Δ6-desaturase," Planta, July 24, 2003, Vol. 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "Δ6-Fatty acid desaturase from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous expression in a fungus, Aspergillus," Gene, August 6, 1999, Vol. 238, pp. 445-453. J. NAPIER et al., "Identification of a Caenorhabditis elegans Δ6-fatty-acid-desaturase by heterologous expression in Saccharomyces cerevisiae," Biochem. J., 1998, Vol. 330, pp. 611-614. A. REDDY et al., "Isolation of a Δ6-desaturase gene from the cyanobacterium Synechocystis sp. Strain PCC 6803 by gain-of-function expression in Anabaena sp. Strain PCC 7120," Plant Molecular Biology, 1993, Vol. 27, pp. 293-300. Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if										
F. GARCÍA-MAROTO et al., "Cloning and Molecular Characterization of the Δ6-Desaturase from Two Echium Plant Species: Production of GLA by Heterologous Expression in Yeast and Tobacco," Lipids, 2002, Vol. 37, No. 4, pp. 417-426. O. SAYANOVA et al., "Identification of Primula fatty acid Δ ⁶ -desaturases with n-3 substrate preferences ¹ ," FEBS Letters, 2003, Vol. 542, pp. 100-104. H. WHITNEY et al., "Functional characterisation of two cytochrome b ₅ -fusion desaturases from Anemone leveillei: the unexpected identification of a fatty acid Δ ⁶ -desaturase," Planta, July 24, 2003, Vol 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "Δ6-Fatty acid desaturase from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous expression in a fungus, Aspergillus," Gene, August 6, 1999, Vol. 238, pp. 445-453. J. NAPIER et al., "Identification of a Caenorhabditis elegans Δ ⁶ -fatty-acid-desaturase by heterologous expression in Saccharomyces cerevisiae," Biochem. J., 1998, Vol. 330, pp. 611-614. A. REDDY et al., "Isolation of a Δ ⁶ -desaturase gene from the cyanobacterium Synechocystis sp. Strain PCC 6803 by gain-of-function expression in Anabaena sp. Strain PCC 7120," Plant Molecular Biology, 1993, Vol. 27, pp. 293-300. Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if										
Echium Plant Species: Production of GLA by Heterologous Expression in Yeast and Tobacco," Lipids, 2002, Vol. 37, No. 4, pp. 417-426. O. SAYANOVA et al., "Identification of Primula fatty acid Δ ⁶ -desaturases with n-3 substrate preferences ¹ ," FEBS Letters, 2003, Vol. 542, pp. 100-104. H. WHITNEY et al., "Functional characterisation of two cytochrome b ₅ -fusion desaturases from Anemone leveillei: the unexpected identification of a fatty acid Δ ⁶ -desaturase," Planta, July 24, 2003, Vol 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "Δ6-Fatty acid desaturase from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous expression in a fungus, Aspergillus," Gene, August 6, 1999, Vol. 238, pp. 445-453. J. NAPIER et al., "Identification of a Caenorhabditis elegans Δ ⁶ -fatty-acid-desaturase by heterologous expression in Saccharomyces cerevisiae," Biochem. J., 1998, Vol. 330, pp. 611-614. A. REDDY et al., "Isolation of a Δ ⁶ -desaturase gene from the cyanobacterium Synechocystis sp. Strain PCC 6803 by gain-of-function expression in Anabaena sp. Strain PCC 7120," Plant Molecular Biology, 1993, Vol. 27, pp. 293-300. Examiner Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if										
2002, Vol. 37, No. 4, pp. 417-426. O. SAYANOVA et al., "Identification of Primula fatty acid Δ ⁶ -desaturases with n-3 substrate preferences ¹ ," FEBS Letters, 2003, Vol. 542, pp. 100-104. H. WHITNEY et al., "Functional characterisation of two cytochrome b₅-fusion desaturases from Anemone leveillei: the unexpected identification of a fatty acid Δ ⁶ -desaturase," Planta, July 24, 2003, Vol 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "Δ6-Fatty acid desaturase from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous expression in a fungus, Aspergillus," Gene, August 6, 1999, Vol. 238, pp. 445-453. J. NAPIER et al., "Identification of a Caenorhabditis elegans Δ ⁶ -fatty-acid-desaturase by heterologous expression in Saccharomyces cerevisiae," Biochem. J., 1998, Vol. 330, pp. 611-614. A. REDDY et al., "Isolation of a Δ ⁶ -desaturase gene from the cyanobacterium Synechocystis sp. Strain PCC 6803 by gain-of-function expression in Anabaena sp. Strain PCC 7120," Plant Molecular Biology, 1993, Vol. 27, pp. 293-300. Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if										
preferences¹," FEBS Letters, 2003, Vol. 542, pp. 100-104. H. WHITNEY et al., "Functional characterisation of two cytochrome b₃-fusion desaturases from Anemone leveillei: the unexpected identification of a fatty acid Δ⁶-desaturase," Planta, July 24, 2003, Vol. 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "Δ6-Fatty acid desaturase from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous expression in a fungus, Aspergillus," Gene, August 6, 1999, Vol. 238, pp. 445-453. J. NAPIER et al., "Identification of a Caenorhabditis elegans Δ⁶-fatty-acid-desaturase by heterologous expression in Saccharomyces cerevisiae," Biochem. J., 1998, Vol. 330, pp. 611-614. A. REDDY et al., "Isolation of a Δ⁶-desaturase gene from the cyanobacterium Synechocystis sp. Strain PCC 6803 by gain-of-function expression in Anabaena sp. Strain PCC 7120," Plant Molecular Biology, 1993, Vol. 27, pp. 293-300. Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if		2002, Vol. 37, No. 4, pp. 417-426.								
 H. WHITNEY et al., "Functional characterisation of two cytochrome b₅-fusion desaturases from Anemone leveillei: the unexpected identification of a fatty acid Δ⁶-desaturase," Planta, July 24, 2003, Vol 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "Δ6-Fatty acid desaturase from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous expression in a fungus, Aspergillus," Gene, August 6, 1999, Vol. 238, pp. 445-453. J. NAPIER et al., "Identification of a Caenorhabditis elegans Δ⁶-fatty-acid-desaturase by heterologous expression in Saccharomyces cerevisiae," Biochem. J., 1998, Vol. 330, pp. 611-614. A. REDDY et al., "Isolation of a Δ⁶-desaturase gene from the cyanobacterium Synechocystis sp. Strain PCC 6803 by gain-of-function expression in Anabaena sp. Strain PCC 7120," Plant Molecular Biology, 1993, Vol. 27, pp. 293-300. Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if 										
Anemone leveillei: the unexpected identification of a fatty acid Δ ⁶ -desaturase," Planta, July 24, 2003, Vol 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "Δ6-Fatty acid desaturase from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous expression in a fungus, Aspergillus," Gene, August 6, 1999, Vol. 238, pp. 445-453. J. NAPIER et al., "Identification of a Caenorhabditis elegans Δ ⁶ -fatty-acid-desaturase by heterologous expression in Saccharomyces cerevisiae," Biochem. J., 1998, Vol. 330, pp. 611-614. A. REDDY et al., "Isolation of a Δ ⁶ -desaturase gene from the cyanobacterium Synechocystis sp. Strain PCC 6803 by gain-of-function expression in Anabaena sp. Strain PCC 7120," Plant Molecular Biology, 1993, Vol. 27, pp. 293-300. Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if										
 217, pp. 983-992. Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "Δ6-Fatty acid desaturase from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous expression in a fungus, Aspergillus," Gene, August 6, 1999, Vol. 238, pp. 445-453. J. NAPIER et al., "Identification of a Caenorhabditis elegans Δ⁶-fatty-acid-desaturase by heterologous expression in Saccharomyces cerevisiae," Biochem. J., 1998, Vol. 330, pp. 611-614. A. REDDY et al., "Isolation of a Δ⁶-desaturase gene from the cyanobacterium Synechocystis sp. Strain PCC 6803 by gain-of-function expression in Anabaena sp. Strain PCC 7120," Plant Molecular Biology, 1993, Vol. 27, pp. 293-300. Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if 										
 Y. HUANG et al., "Cloning of Δ12- and Δ6-Desaturases from Mortierella alpina and Recombinant Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "Δ6-Fatty acid desaturase from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous expression in a fungus, Aspergillus," Gene, August 6, 1999, Vol. 238, pp. 445-453. J. NAPIER et al., "Identification of a Caenorhabditis elegans Δ6-fatty-acid-desaturase by heterologous expression in Saccharomyces cerevisiae," Biochem. J., 1998, Vol. 330, pp. 611-614. A. REDDY et al., "Isolation of a Δ6-desaturase gene from the cyanobacterium Synechocystis sp. Strain PCC 6803 by gain-of-function expression in Anabaena sp. Strain PCC 7120," Plant Molecular Biology, 1993, Vol. 27, pp. 293-300. Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if										
Production of γ-Linolenic Acid in Saccharomyces cerevisiae," Lipids, 1999, Vol. 34, No. 7, pp. 649-659. E. SAKURADANI et al., "Δ6-Fatty acid desaturase from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous expression in a fungus, Aspergillus," Gene, August 6, 1999, Vol. 238, pp. 445-453. J. NAPIER et al., "Identification of a Caenorhabditis elegans Δ6-fatty-acid-desaturase by heterologous expression in Saccharomyces cerevisiae," Biochem. J., 1998, Vol. 330, pp. 611-614. A. REDDY et al., "Isolation of a Δ6-desaturase gene from the cyanobacterium Synechocystis sp. Strain PCC 6803 by gain-of-function expression in Anabaena sp. Strain PCC 7120," Plant Molecular Biology, 1993, Vol. 27, pp. 293-300. Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if			10 I AC D	4C	37 1	11 1 .	1.0	<u> </u>		
 E. SAKURADANI et al., "Δ6-Fatty acid desaturase from an arachidonic acid-producing Mortierella fungus Gene cloning and its heterologous expression in a fungus, Aspergillus," Gene, August 6, 1999, Vol. 238, pp. 445-453. J. NAPIER et al., "Identification of a Caenorhabditis elegans Δ⁶-fatty-acid-desaturase by heterologous expression in Saccharomyces cerevisiae," Biochem. J., 1998, Vol. 330, pp. 611-614. A. REDDY et al., "Isolation of a Δ⁶-desaturase gene from the cyanobacterium Synechocystis sp. Strain PCC 6803 by gain-of-function expression in Anabaena sp. Strain PCC 7120," Plant Molecular Biology, 1993, Vol. 27, pp. 293-300. Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if 										
fungus Gene cloning and its heterologous expression in a fungus, Aspergillus, Gene, August 6, 1999, Vol. 238, pp. 445-453. J. NAPIER et al., 'Identification of a Caenorhabditis elegans Δ ⁶ -fatty-acid-desaturase by heterologous expression in Saccharomyces cerevisiae," Biochem. J., 1998, Vol. 330, pp. 611-614. A. REDDY et al., 'Isolation of a Δ ⁶ -desaturase gene from the cyanobacterium Synechocystis sp. Strain PCC 6803 by gain-of-function expression in Anabaena sp. Strain PCC 7120," Plant Molecular Biology, 1993, Vol. 27, pp. 293-300. Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if										
Vol. 238, pp. 445-453. J. NAPIER et al., "Identification of a Caenorhabditis elegans Δ ⁶ -fatty-acid-desaturase by heterologous expression in Saccharomyces cerevisiae," Biochem. J., 1998, Vol. 330, pp. 611-614. A. REDDY et al., "Isolation of a Δ ⁶ -desaturase gene from the cyanobacterium Synechocystis sp. Strain PCC 6803 by gain-of-function expression in Anabaena sp. Strain PCC 7120," Plant Molecular Biology, 1993, Vol. 27, pp. 293-300. Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if										
J. NAPIER et al., "Identification of a Caenorhabditis elegans Δ ⁶ -fatty-acid-desaturase by heterologous expression in Saccharomyces cerevisiae," Biochem. J., 1998, Vol. 330, pp. 611-614. A. REDDY et al., "Isolation of a Δ ⁶ -desaturase gene from the cyanobacterium Synechocystis sp. Strain PCC 6803 by gain-of-function expression in Anabaena sp. Strain PCC 7120," Plant Molecular Biology, 1993, Vol. 27, pp. 293-300. Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if									999,	
expression in Saccharomyces cerevisiae," Biochem. J., 1998, Vol. 330, pp. 611-614. A. REDDY et al., "Isolation of a Δ ⁶ -desaturase gene from the cyanobacterium Synechocystis sp. Strain PCC 6803 by gain-of-function expression in Anabaena sp. Strain PCC 7120," Plant Molecular Biology, 1993, Vol. 27, pp. 293-300. Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if			of a Caenorhaba	litis elegans	Δ ⁶ -fatty	-acid-desat	urase by h	eterolo	ogous	
PCC 6803 by gain-of-function expression in <i>Anabaena</i> sp. Strain PCC 7120," Plant Molecular Biology, 1993, Vol. 27, pp. 293-300. Examiner Date Considered Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if		expression in Saccharomyces cer	revisiae," Bioche	m. J., 1998,	Vol. 33	0, pp. 611-6	614.			
Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if										
Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if			kpression in <i>Anab</i>	oaena sp. St	rain PC	C 7120," Pl	ant Moleci	ılar Bi	ology,	
Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if		[1993, Vol. 27, pp. 293-300.							Y	
Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	Examiner		·	·	Date Co	nsidered				
not in conformance and not considered. Include copy of this form with next communication to applicant.	Examiner: Initial if	reference considered, whether or not c	itation is in confe	rmance wit	h MPFI	2 600: draw	line throu	ah cita	tion if	
	not in co	nformance and not considered. Includ	e copy of this for	m with next	commi	inication to	applicant.	511 C11a	MOII II	

Attorney Docket No.: Serial No.: INFORMATION DISCLOSURE CITATION 47236-0009 10/584,082 (Use several sheets if necessary) Applicant Page 2 of 4 Kanji OHYAMA PTO Form 1449 Filing Date: Group Art Unit: June 22, 2006 Unassigned U.S. PATENT DOCUMENTS *Examiner Document Sub Initial Number Date Name Class Filing Date Class FOREIGN PATENT DOCUMENTS Document Sub Translation Number Date Country Class Class YES NO OTHER DOCUMENTS (Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.) T. AKI et al., "Molecular Cloning and Functional Characterization of Rat Δ-6 Fatty Acid Desaturase." Biochemical and Biophysical Research Communications, 1999, Vol. 255, No. 3, pp. 575-579. H. CHO et al., "Cloning, Expression, and Nutritional Regulation of the Mammalian Δ-6 Desaturase," The Journal of Biological Chemistry, January 1, 1999, Vol. 274, No. 1, pp. 471-477. J. PARKER-BARNES et al., "Identification and characterization of an enzyme involved in the elongation of n-6 and n-3 polyunsaturated fatty acids," PNAS, July 18, 2000, Vol. 97, No. 15, pp. 8284-8289. F. BEAUDOIN et al., "Heterologous reconstitution in yeast of the polyunsaturated fatty acid biosynthetic pathway," PNAS, June 6, 2000, Vol. 97, No. 12, pp. 6421-6426. T. ZANK et al., "Cloning and functional characterisation of an enzyme involved in the elongation of $\Delta 6$ polyunsaturated fatty acids from the moss *Physcomitrella patens*," The Plant Journal, 2002, Vol. 31, No. 3, pp. 255-268. C. OH et al., "ELO2 and ELO3, Homologues of the Saccharomyces cerevisiae ELO1 Gene, Function in Fatty Acid Elongation and Are Required for Sphingolipid Formation," The Journal of Biological Chemistry, July 11, 1997, Vol. 272, No. 28, pp. 17376-17384. D. JAMES, JR. et al., "Directed Tagging of the Arabidopsis FATTY ACID ELONGATIONI (FAEI) Gene with the Maize Transposon Activator," The Plant Cell, March 1995, Vol. 7, pp. 309-319. D. KNUTZON et al., "Identification of Δ 5-Desaturase from *Mortierella alpina* by Heterologous Expression in Bakers' Yeast and Canola," The Journal of Biological Chemistry, November 6, 1998, Vol. 273, No. 45, pp. 29360-29366. L. MICHAELSON et al., "Functional identification of a fatty acid Δ^5 desaturase gene from Caenorhabditis elegans," FEBS Letters, 1998, Vol. 439, pp. 215-218. R. ZOLFAGHARI et al., "Fatty Acid Δ⁵-Desaturase mRNA is Regulated by Dietary Vitamin A and Exogenous Retinoic Acid in Liver of Adult Rats¹," Archives of Biochemistry and Biophysics, July 1. 2001, Vol. 391, No. 1, pp. 8-15. H. CHO et al., "Cloning, Expression, and Fatty Acid Regulation of the Human Δ-5 Desaturase," The Journal of Biological Chemistry, December 24, 1999, Vol. 274, No. 52, pp. 37335-37339. Examiner Date Considered Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ŗ,

INFORMA	, ,	Attorney Docket No.: 47236-0009			Serial No.: 10/584,082				
(Us		Applicant Kanji OHYAMA				Page 3 of 4			
	Filing Da	Filing Date: June 22, 2006			Group Art Unit: Unassigned				
	U.S. PA	TENT DOCUM	IENTS						
*Examiner	Document	ъ.			CI	Sub	Pir D		
Initial	Number	Date	Name		Class	Class	Filing Date		
	FOREIGN	PATENT DOC	UMENTS						
	Document		1		Sub	Tra	anslation		
	Number	Date	Country	Class	Class	YE			
	the author (in CAPITAL LETTERS),		(when app						
journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published. F. DOMERGUE et al., "Acyl Carriers Used as Substrates by the Desaturases and Elongases Involved in Very Long-chain Polyunsaturated Fatty Acids Biosynthesis Reconstituted in Yeast," The Journal of Biological Chemistry, September 12, 2003, Vol. 278, No. 37, pp. 35115-35126. M. KAJIKAWA et al., "Functional Analysis of a β-Ketoacyl-CoA Synthase Gene, MpFAE2, by Gene Silencing in the Liverwort Marchantia polymorpha L.," Biosci. Biotechnol. Biochem., 2003, Vol. 67, No. 3, pp. 605-612. M. KAJIKAWA et al., "MpFAE3, a β-Ketoacyl-CoA Synthase Gene in the Liverwort Marchantia polymorpha L., is Preferentially Involved in Elongation of Palmitic Acid to Stearic Acid," Biosci. Biotechnol. Biochem., 2003, Vol. 67, No. 8, pp. 1667-1674. V. DEMBITSKY, "Lipids of Bryophytes," Prog. Lipid Res., 1993, Vol. 32, No. 3, pp. 281-356. T. HASHIMOTO-GOTOH et al., "An oligodeoxyribonucleotide-directed dual amber method for site-directed mutagenesis," Gene, 1995, Vol. 152, pp. 271-275. L. ZHANG et al., "Gene Expression Profiles in Normal and Cancer Cells," Science, May 23, 1997, Vol. 276, pp. 1268-1272. V. VELCULESCU et al., "Characterization of the Yeast Transcriptome," Cell, January 24, 1997, Vol. 8 pp. 243-251. V. VELCULESCU et al., "Serial Analysis of Gene Expression," Science, October 20, 1995, Vol. 270, p 484-487. K. POLYAK et al., "A model for p53-induced apoptosis," Nature, September 18, 1997, Vol. 389, pp. 300-305. M. FUJISAWA et al., "Isolation of X and Y Chromosome-Specific DNA Markers from a Liverwort,									
	Marchantia polymorpha, by Rep pp. 981-985. I. MITSUHARA et al., "Efficien	nt Promoter Casse	ttes for Enh	anced Ex	xpression o	f Foreign	Genes in		
	Dicotyledonous and Monocotyle F. VAN ENGELEN et al., "pBIT Transgenic Research, 1995, Vol.	NPLUS: an impro							
Examiner			····	Date Co	nsidered				
	reference considered, whether or not conformance and not considered. Include						gh citation if		

INFORM	1	Attorney Docket No.: 47236-0009				Serial No.: 10/584,082				
(U	Applicant					Page 4 of 4				
		Kanji OHYAMA								
	Filing Da	Filing Date: June 22, 2006				Group Art Unit: Unassigned				
	II S DA	ATENT DOCUM			[Olia.	ssigned	•			
	T	TENT DOCUM	T T			1 .				
*Examiner	Document	n .	.,		C)	Sub		ъ.		
Initial	Number	Date	Nam	ie	Class	Class	Filing Date			
						<u> </u>				
							,			
		,								
						 				
	FOREICN	PATENT DOC	IMENTS				1			
		TATENT DOC	UNIENTS	1	1 0 1		• • •			
	Document	Data			Sub	Translation YES				
	Number	Date	Country	Class	Class	YE	<u>s</u>	NO		
				<u> </u>		 		 		
			-			<u> </u>		 		
								 		
						 				
						<u> </u>		-		
	OTI	HER DOCUMEN	ITS	L	.1	1		L		
(Include name o	of the author (in CAPITAL LETTERS),			ropriate),	title of the	e item (boo	k, mag	zazine,		
	mposium, catalog, etc.) date, page(s), v									
	Y. TANAKA et al., "Molecular									
	reductase Gene," Plant Cell Physiol., 1995, Vol. 36, No. 6, pp. 1023-1031.									
	F. BRUGLIERA et al., "Isolation and characterization of a cDNA clone corresponding to the Rt locus of									
ļ	Petunia hybrida," The Plant Journal, 1994, Vol. 5, No. 1, pp. 81-92.									
	G. LAZO et al., "A DNA Trans	-		opsis Gen	omic Libr	ary in Agr	obacte	rium,"		
	Bio/Technology, October 1991, Vol. 9, pp. 963-967.									
	A. ABBADI et al., "Biosynthesis of Very-Long-Chain Polyunsaturated Fatty Acids in Transgenic									
	Oilseeds: Constraints on Their Accumulation," The Plant Cell, October 2004, Vol. 16, pp. 2734-2748. B. QI et al., "Production of very long chain polyunsaturated omega-3 and omega-6 fatty acids in plants,"									
	Nature Biotechnology, June 2004, Vol. 22, No. 6, pp. 739-745.									
	Search Report issued on December 4, 2005 in International PCT Application PCT/JP2004/019196									
	(previously submitted to Office	•								
Examiner				Date Cor	sidered					
m	:££	-14-41 ! !		L MODE	600 J	11me 41	-l''	41 16		
	if reference considered, whether or not conformance and not considered. Include							tion if		
not in c	conformance and not considered. Include	ae copy or mis for	ın willi nex	i commut	ncation to	applicant.				